

IGNITION INTERLOCK DEVICES INSTALLED AT END OF MONTH

	Aug-10	Sep-10	Oct-10	Nov-10	Dec-10	Jan-11	Feb-11	Mar-11	Apr-11	May-11	Jun-11	Jul-11	Aug-11	Sep-11	11-Oct	11-Nov	Dec-11	Jan-12	Feb-12	Mar-12
Chenango	7	10	11	13	15	17	20	24	27	29	32	32	32	33	32	29	30	30	27	29
1A Smart Start, Inc.	0	0	0	0	0	0	1	1	2	3	4	5	4	4	5	5	6	6	7	9
Smart Start 2020	0	0	0	0	0	0	1	1	2	3	4	5	4	4	5	5	6	6	7	9
Smart Start SS1-1000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Consumer Safety Technology, Inc.	0	0	0	0	1	2	2	2	3	6	8	6	6	8	9	8	8	8	8	8
Intoxalock 1001A	0	0	0	0	0	1	1	1	1	2	3	2	2	4	5	3	3	3	3	3
Intoxalock 1001A Advanced	0	0	0	0	1	1	1	1	2	4	5	4	4	4	4	5	5	5	5	5
Draeger Safety Diagnostics, Inc.	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Draeger XT	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Interceptor Ignition Interlocks, Inc.	7	9	9	11	11	11	12	16	16	15	15	15	16	16	14	12	12	12	10	11
Interceptor M-1	7	9	9	11	11	11	12	16	16	15	15	15	16	16	14	12	12	12	10	11
National Interlock Service LTD	0	0	0	0	0	1	1	1	1	0	0	1	1	1	2	2	2	2	1	0
LifeSafer FC100 camera	0	0	0	0	0	0	0	0	0	0	0	0	0	1	2	2	2	2	1	0
LifeSafer FC100 no camera	0	0	0	0	0	1	1	1	1	0	0	1	1	0	0	0	0	0	0	0
Sens_O-Lock of America, L.L.C.		1	1	1	2	2	3	3	4	4	4	4	4	3	1	1	1	1	0	0
Best Labs FR9000		1	1	1	2	2	3	3	4	4	4	4	4	3	1	1	1	1	0	0
Statewide Interlock Systemes, Inc.												0	0	0	0	0	0	0	0	0
Alcohol Detection Systems DM-904												0	0	0	0	0	0	0	0	0
Clinton	12	14	16	16	19	22	30	30	34	42	54	55	59	68	65	65	64	71	77	82
1A Smart Start, Inc.	0	1	1	1	1	2	2	1	5	7	10	11	13	18	16	16	19	24	26	29
Smart Start 2020	0	1	1	1	1	2	2	1	5	7	10	11	13	18	16	16	19	24	26	29
Smart Start SS1-1000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Consumer Safety Technology, Inc.	0	0	1	1	2	3	8	8	9	11	14	16	17	18	17	17	14	19	20	22
Intoxalock 1001A	0	0	0	0	0	1	5	5	7	7	9	11	11	11	10	10	8	11	12	12
Intoxalock 1001A Advanced	0	0	1	1	2	2	3	3	2	4	5	5	6	7	7	7	6	8	8	10
Draeger Safety Diagnostics, Inc.	0	0	0	0	0	0	0	1	1	1	1	1	1	2	2	2	2	2	2	2
Draeger XT	0	0	0	0	0	0	0	1	1	1	1	1	1	2	2	2	2	2	2	2
Interceptor Ignition Interlocks, Inc.	12	13	14	14	15	15	17	17	17	17	20	20	20	20	20	21	21	21	21	22
Interceptor M-1	12	13	14	14	15	15	17	17	17	17	20	20	20	20	20	21	21	21	21	22
National Interlock Service LTD	0	0	0	0	1	2	3	3	2	6	9	7	8	10	10	9	7	4	7	5
LifeSafer FC100 camera	0	0	0	0	0	1	1	1	0	0	1	1	1	2	3	2	1	1	1	1
LifeSafer FC100 no camera	0	0	0	0	1	1	2	2	2	6	8	6	7	8	7	7	6	3	6	4
Sens_O-Lock of America, L.L.C.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Best Labs FR9000		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Statewide Interlock Systemes, Inc.												0	0	0	0	0	1	1	1	2
Alcohol Detection Systems DM-904												0	0	0	0	0	1	1	1	2

IGNITION INTERLOCK DEVICES INSTALLED AT END OF MONTH

	Aug-10	Sep-10	Oct-10	Nov-10	Dec-10	Jan-11	Feb-11	Mar-11	Apr-11	May-11	Jun-11	Jul-11	Aug-11	Sep-11	11-Oct	11-Nov	Dec-11	Jan-12	Feb-12	Mar-12
New York	3	6	18	26	36	46	61	80	89	116	128	136	144	140	131	140	125	125	124	121
1A Smart Start, Inc.	0	2	12	19	25	35	45	62	68	82	88	93	98	95	89	89	74	69	70	67
Smart Start 2020	0	2	12	19	25	35	45	62	68	82	88	93	98	95	89	89	74	69	70	67
Smart Start SS1-1000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Consumer Safety Technology, Inc.	0	0	2	3	6	7	12	13	15	19	18	19	19	20	20	22	19	20	21	23
Intoxalock 1001A	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	0	0	0
Intoxalock 1001A Advanced	0	0	2	3	6	7	12	13	15	18	18	19	19	20	20	22	19	20	21	23
Draeger Safety Diagnostics, Inc.	2	3	3	3	3	2	2	3	3	3	3	3	3	3	2	2	2	2	2	2
Draeger XT	2	3	3	3	3	2	2	3	3	3	3	3	3	3	2	2	2	2	2	2
Interceptor Ignition Interlocks, Inc.	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	0	0
Interceptor M-1	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	0	0
National Interlock Service LTD	1	1	1	1	2	2	2	2	2	11	18	20	23	21	19	26	29	33	31	29
LifeSafer FC100 camera	0	0	0	0	1	1	1	1	1	11	18	20	23	21	18	25	27	31	30	28
LifeSafer FC100 no camera	1	1	1	1	1	1	1	1	1	0	0	0	0	0	1	1	2	2	1	1
Sens_O-Lock of America, L.L.C.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Best Labs FR9000		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Statewide Interlock Systemes, Inc.												0	0	0	0	0	0	0	0	0
Alcohol Detection Systems DM-904												0	0	0	0	0	0	0	0	0
Niagara	3	6	10	24	36	44	52	59	63	70	72	78	84	91	89	90	89	87	97	100
1A Smart Start, Inc.	0	0	1	3	5	7	9	11	12	11	9	11	13	11	12	12	11	10	10	13
Smart Start 2020	0	0	1	3	5	7	9	11	12	11	9	11	13	11	12	12	11	10	10	13
Smart Start SS1-1000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Consumer Safety Technology, Inc.	0	1	2	10	16	18	20	21	25	29	34	37	39	40	40	37	35	36	44	46
Intoxalock 1001A	0	1	2	10	16	18	20	21	25	29	34	37	39	40	40	37	35	36	44	46
Intoxalock 1001A Advanced	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Draeger Safety Diagnostics, Inc.	3	5	7	10	14	18	22	26	25	28	27	28	30	38	35	38	41	39	40	38
Draeger XT	3	5	7	10	14	18	22	26	25	28	27	28	30	38	35	38	41	39	40	38
Interceptor Ignition Interlocks, Inc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Interceptor M-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
National Interlock Service LTD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
LifeSafer FC100 camera	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LifeSafer FC100 no camera	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1
Sens_O-Lock of America, L.L.C.		0	0	1	1	1	1	1	1	2	2	2	2	2	2	2	1	1	1	1
Best Labs FR9000		0	0	1	1	1	1	1	1	2	2	2	2	2	2	2	1	1	1	1
Statewide Interlock Systemes, Inc.												0	0	0	0	1	1	1	1	1
Alcohol Detection Systems DM-904												0	0	0	0	1	1	1	1	1

IGNITION INTERLOCK DEVICES INSTALLED AT END OF MONTH

	Aug-10	Sep-10	Oct-10	Nov-10	Dec-10	Jan-11	Feb-11	Mar-11	Apr-11	May-11	Jun-11	Jul-11	Aug-11	Sep-11	11-Oct	11-Nov	Dec-11	Jan-12	Feb-12	Mar-12
Queens	13	24	32	41	59	70	84	100	115	137	147	157	180	179	195	202	222	219	235	241
1A Smart Start, Inc.	6	7	8	14	21	23	32	46	57	67	65	76	87	84	90	90	104	101	104	107
Smart Start 2020	2	4	5	11	19	21	30	45	55	65	63	74	86	83	89	89	104	101	104	107
Smart Start SS1-1000	4	3	3	3	2	2	2	1	2	2	2	2	1	1	1	1	0	0	0	0
Consumer Safety Technology, Inc.	0	1	3	4	10	17	20	21	24	29	36	36	39	39	38	38	39	39	44	49
Intoxalock 1001A	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Intoxalock 1001A Advanced	0	1	3	4	10	17	20	21	24	29	36	36	39	39	38	38	39	39	44	49
Draeger Safety Diagnostics, Inc.	3	3	5	5	7	9	9	9	8	8	8	7	7	7	8	8	8	9	13	14
Draeger XT	3	3	5	5	7	9	9	9	8	8	8	7	7	7	8	8	8	9	13	14
Interceptor Ignition Interlocks, Inc.	0	1	1	1	1	1	2	3	5	5	7	9	10	11	12	13	14	15	16	17
Interceptor M-1	0	1	1	1	1	1	2	3	5	5	7	9	10	11	12	13	14	15	16	17
National Interlock Service LTD	4	4	6	8	11	11	10	11	11	18	21	18	26	26	34	42	46	46	50	49
LifeSafer FC100 camera	0	0	1	3	6	6	6	7	7	15	19	16	22	22	30	38	43	43	45	46
LifeSafer FC100 no camera	4	4	5	5	5	5	4	4	4	3	2	2	4	4	4	4	3	3	5	3
Sens_O-Lock of America, L.L.C.		8	9	9	9	9	11	10	10	10	10	11	11	12	13	11	11	9	8	5
Best Labs FR9000		8	9	9	9	9	11	10	10	10	10	11	11	12	13	11	11	9	8	5
Statewide Interlock Systemes, Inc.												0	0	0	0	0	0	0	0	0
Alcohol Detection Systems DM-904												0	0	0	0	0	0	0	0	0
Rensselaer	3	4	9	13	21	24	27	27	39	45	60	59	69	71	70	70	66	69	62	59
1A Smart Start, Inc.	0	0	2	3	7	9	11	11	21	25	39	42	48	50	48	48	43	44	37	34
Smart Start 2020	0	0	2	3	7	9	11	11	21	25	39	42	48	50	48	48	43	44	37	34
Smart Start SS1-1000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Consumer Safety Technology, Inc.	0	0	0	0	1	1	2	2	3	3	4	3	3	4	3	3	3	3	2	2
Intoxalock 1001A	0	0	0	0	1	1	2	2	3	3	3	2	2	2	2	2	2	2	1	0
Intoxalock 1001A Advanced	0	0	0	0	0	0	0	0	0	0	1	1	1	2	1	1	1	1	1	2
Draeger Safety Diagnostics, Inc.	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	0	1	1
Draeger XT	1	1	1	1	1	1	1	1	1	1	1	1	2	1	1	1	1	0	1	1
Interceptor Ignition Interlocks, Inc.	2	3	3	4	5	6	6	6	7	6	6	6	7	7	7	8	8	9	9	10
Interceptor M-1	2	3	3	4	5	6	6	6	7	6	6	6	7	7	7	8	8	9	9	10
National Interlock Service LTD	0	0	2	4	6	6	6	6	6	8	8	5	6	6	8	8	9	11	11	11
LifeSafer FC100 camera	0	0	2	4	4	4	4	4	4	5	6	5	5	5	7	7	9	11	11	11
LifeSafer FC100 no camera	0	0	0	0	2	2	2	2	2	3	2	0	1	1	1	1	0	0	0	0
Sens_O-Lock of America, L.L.C.		0	1	1	1	1	1	1	1	2	2	2	2	2	1	0	0	0	0	0
Best Labs FR9000		0	1	1	1	1	1	1	1	2	2	2	2	2	1	0	0	0	0	0
Statewide Interlock Systemes, Inc.												0	1	1	2	2	2	2	2	1
Alcohol Detection Systems DM-904												0	1	1	2	2	2	2	2	1

IGNITION INTERLOCK DEVICES INSTALLED AT END OF MONTH

	Aug-10	Sep-10	Oct-10	Nov-10	Dec-10	Jan-11	Feb-11	Mar-11	Apr-11	May-11	Jun-11	Jul-11	Aug-11	Sep-11	11-Oct	11-Nov	Dec-11	Jan-12	Feb-12	Mar-12
Seneca	0	0	5	7	10	12	16	22	21	22	23	22	18	14	17	17	22	21	21	24
1A Smart Start, Inc.	0	0	4	6	8	10	14	20	17	17	15	14	9	4	4	4	6	5	5	5
Smart Start 2020	0	0	4	6	8	10	14	20	17	17	15	14	9	4	4	4	6	5	5	5
Smart Start SS1-1000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Consumer Safety Technology, Inc.	0	0	0	0	1	1	1	1	3	3	3	4	4	6	7	6	9	6	6	5
Intoxalock 1001A	0	0	0	0	1	1	1	1	3	3	3	4	4	5	6	5	8	6	6	5
Intoxalock 1001A Advanced	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	0	0	0
Draeger Safety Diagnostics, Inc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Draeger XT	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Interceptor Ignition Interlocks, Inc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Interceptor M-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
National Interlock Service LTD	0	0	1	1	1	1	1	1	1	2	5	4	5	4	6	7	7	10	10	14
LifeSafer FC100 camera	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	2	2	2
LifeSafer FC100 no camera	0	0	1	1	1	1	1	1	1	2	5	4	5	4	6	6	6	8	8	12
Sens_O-Lock of America, L.L.C.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Best Labs FR9000		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Statewide Interlock Systemes, Inc.												0	0	0	0	0	0	0	0	0
Alcohol Detection Systems DM-904												0	0	0	0	0	0	0	0	0
St. Lawrence	1	1	3	6	9	11	14	18	19	22	22	23	20	17	15	15	16	16	19	19
1A Smart Start, Inc.	0	0	1	1	2	3	6	7	8	9	10	10	7	6	6	6	2	3	3	4
Smart Start 2020	0	0	1	1	2	3	6	7	8	9	10	10	7	6	6	6	2	3	3	4
Smart Start SS1-1000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Consumer Safety Technology, Inc.	0	0	1	4	5	6	7	10	10	11	10	11	11	9	8	8	9	9	11	11
Intoxalock 1001A	0	0	1	4	5	6	6	9	9	9	8	8	8	8	8	7	8	7	9	9
Intoxalock 1001A Advanced	0	0	0	0	0	0	1	1	1	2	2	3	3	1	0	1	1	2	2	2
Draeger Safety Diagnostics, Inc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Draeger XT	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Interceptor Ignition Interlocks, Inc.	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	2	2	2	3
Interceptor M-1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	2	2	2	3
National Interlock Service LTD	0	0	0	0	1	1	1	0	0	1	1	1	1	2	1	1	2	1	2	1
LifeSafer FC100 camera	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	0
LifeSafer FC100 no camera	0	0	0	0	1	1	1	0	0	1	1	1	1	2	1	1	1	0	1	1
Sens_O-Lock of America, L.L.C.		0	0	0	0	0	0	1	1	1	1	1	1	0	0	0	0	0	0	0
Best Labs FR9000		0	0	0	0	0	0	1	1	1	1	1	1	0	0	0	0	0	0	0
Statewide Interlock Systemes, Inc.												0	0	0	0	0	1	1	1	0
Alcohol Detection Systems DM-904												0	0	0	0	0	1	1	1	0

IGNITION INTERLOCK DEVICES INSTALLED AT END OF MONTH

	Aug-10	Sep-10	Oct-10	Nov-10	Dec-10	Jan-11	Feb-11	Mar-11	Apr-11	May-11	Jun-11	Jul-11	Aug-11	Sep-11	11-Oct	11-Nov	Dec-11	Jan-12	Feb-12	Mar-12
Tompkins	26	28	27	38	42	50	54	49	51	57	61	57	52	57	58	62	60	60	67	73
1A Smart Start, Inc.	0	2	2	7	9	15	21	21	23	27	30	27	23	27	28	28	26	26	27	31
Smart Start 2020	0	2	2	7	9	15	21	21	23	27	30	27	23	27	28	28	26	26	27	31
Smart Start SS1-1000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Consumer Safety Technology, Inc.	0	0	2	5	6	8	8	8	8	9	11	15	15	16	16	17	18	18	20	21
Intoxalock 1001A	0	0	2	5	6	8	8	8	8	8	11	12	12	13	13	13	14	13	15	15
Intoxalock 1001A Advanced	0	0	0	0	0	0	0	0	0	1	0	3	3	3	3	4	4	5	5	6
Draeger Safety Diagnostics, Inc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Draeger XT	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Interceptor Ignition Interlocks, Inc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Interceptor M-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
National Interlock Service LTD	26	26	23	26	25	25	23	18	18	19	19	14	13	13	13	16	15	15	20	21
LifeSafer FC100 camera	0	0	0	0	0	0	0	0	0	2	3	2	2	2	2	4	3	4	5	4
LifeSafer FC100 no camera	26	26	23	26	25	25	23	18	18	17	16	12	11	11	11	12	12	11	15	17
Sens_O-Lock of America, L.L.C.	0	0	0	0	2	2	2	2	2	2	1	1	1	1	1	1	1	1	0	0
Best Labs FR9000	0	0	0	0	2	2	2	2	2	2	1	1	1	1	1	1	1	1	0	0
Statewide Interlock Systemes, Inc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Alcohol Detection Systems DM-904	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Ulster	3	5	12	15	24	33	42	46	43	78	85	98	103	103	101	106	105	97	105	115
1A Smart Start, Inc.	1	1	1	1	3	5	6	9	11	12	14	15	18	16	17	17	22	19	18	21
Smart Start 2020	0	0	0	0	2	4	5	8	10	11	14	15	18	16	17	17	22	19	18	21
Smart Start SS1-1000	1	1	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0
Consumer Safety Technology, Inc.	0	0	1	1	4	6	7	9	8	8	11	17	17	14	17	18	17	16	17	17
Intoxalock 1001A	0	0	1	1	3	5	6	8	7	7	10	17	17	14	17	18	17	16	17	16
Intoxalock 1001A Advanced	0	0	0	0	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	1
Draeger Safety Diagnostics, Inc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Draeger XT	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Interceptor Ignition Interlocks, Inc.	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1
Interceptor M-1	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1
National Interlock Service LTD	2	3	8	11	16	21	27	26	20	55	57	63	65	69	64	68	62	58	66	72
LifeSafer FC100 camera	0	1	1	2	2	4	5	5	4	4	3	5	5	7	5	6	8	5	6	6
LifeSafer FC100 no camera	2	2	7	9	14	17	22	21	16	51	54	58	60	62	59	62	54	53	60	66
Sens_O-Lock of America, L.L.C.	0	1	2	2	1	1	2	2	3	2	2	2	2	3	2	2	2	2	2	2
Best Labs FR9000	0	1	2	2	1	1	2	2	3	2	2	2	2	3	2	2	2	2	2	2
Statewide Interlock Systemes, Inc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2
Alcohol Detection Systems DM-904	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	1	2

IGNITION INTERLOCK DEVICES INSTALLED AT END OF MONTH

	Aug-10	Sep-10	Oct-10	Nov-10	Dec-10	Jan-11	Feb-11	Mar-11	Apr-11	May-11	Jun-11	Jul-11	Aug-11	Sep-11	11-Oct	11-Nov	Dec-11	Jan-12	Feb-12	Mar-12
Wayne	3	7	11	17	20	25	33	41	45	52	57	63	66	69	62	58	61	64	68	70
1A Smart Start, Inc.	0	1	3	7	9	11	14	19	23	26	25	29	29	28	21	21	23	21	20	19
Smart Start 2020	0	1	3	7	9	11	14	19	23	26	25	29	29	28	21	21	23	21	20	19
Smart Start SS1-1000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Consumer Safety Technology, Inc.	0	3	5	7	8	11	16	19	19	22	27	31	32	35	35	31	32	38	42	46
Intoxalock 1001A	0	1	1	1	1	1	1	1	1	1	1	2	2	2	1	1	1	1	1	1
Intoxalock 1001A Advanced	0	2	4	6	7	10	15	18	18	21	26	29	30	33	34	30	31	37	41	45
Draeger Safety Diagnostics, Inc.	2	2	2	2	2	2	2	2	2	2	2	0	1	1	1	1	1	1	1	1
Draeger XT	2	2	2	2	2	2	2	2	2	2	2	0	1	1	1	1	1	1	1	1
Interceptor Ignition Interlocks, Inc.	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2
Interceptor M-1	1	1	1	1	1	1	1	1	1	1	2	2	2	2	2	2	2	2	2	2
National Interlock Service LTD	0	0	0	0	0	0	0	0	0	1	1	1	2	2	2	2	2	1	2	2
LifeSafer FC100 camera	0	0	0	0	0	0	0	0	0	1	1	1	2	2	2	2	2	1	2	2
LifeSafer FC100 no camera	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Sens_O-Lock of America, L.L.C.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Best Labs FR9000		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Statewide Interlock Systemes, Inc.												0	0	1	1	1	1	1	1	0
Alcohol Detection Systems DM-904												0	0	1	1	1	1	1	1	0
Westchester	187	205	233	245	269	295	340	370	391	414	444	459	461	462	480	490	500	537	505	494
1A Smart Start, Inc.	5	11	21	27	36	44	61	74	82	91	101	109	109	98	104	104	112	113	112	106
Smart Start 2020	4	9	19	25	34	42	60	73	82	91	101	109	109	98	104	104	112	113	112	106
Smart Start SS1-1000	1	2	2	2	2	2	1	1	0	0	0	0	0	0	0	0	0	0	0	0
Consumer Safety Technology, Inc.	0	1	2	5	5	6	8	9	12	12	10	13	13	13	12	20	23	27	30	30
Intoxalock 1001A	0	1	2	5	5	5	6	7	9	9	9	10	10	10	9	13	14	14	16	16
Intoxalock 1001A Advanced	0	0	0	0	0	1	2	2	3	3	1	3	3	3	3	7	9	13	14	14
Draeger Safety Diagnostics, Inc.	39	43	51	50	53	57	67	84	77	81	86	87	86	88	96	99	102	131	98	98
Draeger XT	39	43	51	50	53	57	67	84	77	81	86	87	86	88	96	99	102	131	98	98
Interceptor Ignition Interlocks, Inc.	47	53	55	62	65	68	70	72	76	77	80	80	81	81	83	80	77	75	74	71
Interceptor M-1	47	53	55	62	65	68	70	72	76	77	80	80	81	81	83	80	77	75	74	71
National Interlock Service LTD	96	97	104	101	109	120	133	130	140	149	156	162	164	170	172	176	173	179	179	177
LifeSafer FC100 camera	14	15	24	25	35	36	45	48	48	56	62	66	69	74	73	74	75	77	76	74
LifeSafer FC100 no camera	82	82	80	76	74	84	88	82	92	93	94	96	95	96	99	102	98	102	103	103
Sens_O-Lock of America, L.L.C.		0	0	0	1	0	1	1	4	4	11	8	8	11	12	10	12	11	11	11
Best Labs FR9000		0	0	0	1	0	1	1	4	4	11	8	8	11	12	10	12	11	11	11
Statewide Interlock Systemes, Inc.												0	0	1	1	1	1	1	1	1
Alcohol Detection Systems DM-904												0	0	1	1	1	1	1	1	1

IGNITION INTERLOCK DEVICES INSTALLED AT END OF MONTH

	Aug-10	Sep-10	Oct-10	Nov-10	Dec-10	Jan-11	Feb-11	Mar-11	Apr-11	May-11	Jun-11	Jul-11	Aug-11	Sep-11	11-Oct	11-Nov	Dec-11	Jan-12	Feb-12	Mar-12
Wyoming	2	3	4	6	8	10	11	13	14	15	16	15	16	17	18	17	18	17	19	21
1A Smart Start, Inc.	0	0	0	0	1	2	2	3	4	4	4	3	4	5	5	5	6	5	7	6
Smart Start 2020	0	0	0	0	1	2	2	3	4	4	4	3	4	5	5	5	6	5	7	6
Smart Start SS1-1000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Consumer Safety Technology, Inc.	0	0	0	1	1	2	2	2	2	3	4	4	4	4	4	3	3	2	2	3
Intoxalock 1001A	0	0	0	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0
Intoxalock 1001A Advanced	0	0	0	0	0	1	1	1	1	2	4	4	4	4	4	3	3	2	2	3
Draeger Safety Diagnostics, Inc.	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Draeger XT	0	0	0	0	0	0	1	1	1	1	1	1	1	1	1	1	1	1	1	1
Interceptor Ignition Interlocks, Inc.	2	3	4	5	6	6	6	7	7	7	7	7	7	7	8	8	8	9	9	11
Interceptor M-1	2	3	4	5	6	6	6	7	7	7	7	7	7	7	8	8	8	9	9	11
National Interlock Service LTD	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LifeSafer FC100 camera	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
LifeSafer FC100 no camera	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Sens_O-Lock of America, L.L.C.		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Best Labs FR9000		0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Statewide Interlock Systemes, Inc.												0	0	0	0	0	0	0	0	0
Alcohol Detection Systems DM-904												0	0	0	0	0	0	0	0	0
Yates	1	9	11	12	13	14	16	12	12	10	10	11	12	15	18	17	20	24	21	22
1A Smart Start, Inc.	0	1	2	1	1	1	3	3	2	3	1	3	4	6	8	8	12	14	13	13
Smart Start 2020	0	1	2	1	1	1	3	3	2	3	1	3	4	6	8	8	12	14	13	13
Smart Start SS1-1000	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Consumer Safety Technology, Inc.	0	1	1	1	1	2	3	3	4	4	6	6	6	6	7	6	5	7	6	7
Intoxalock 1001A	0	1	1	1	1	2	3	3	4	4	5	4	4	3	3	1	1	1	1	1
Intoxalock 1001A Advanced	0	0	0	0	0	0	0	0	0	0	1	2	2	3	4	5	4	6	5	6
Draeger Safety Diagnostics, Inc.	1	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
Draeger XT	1	1	1	1	1	1	1	1	1	0	0	0	0	0	0	0	0	0	0	0
Interceptor Ignition Interlocks, Inc.	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
Interceptor M-1	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
National Interlock Service LTD	0	0	0	0	0	0	0	0	0	0	0	2	2	3	3	3	3	3	2	2
LifeSafer FC100 camera	0	0	0	0	0	0	0	0	0	0	0	1	1	2	2	2	2	2	2	2
LifeSafer FC100 no camera	0	0	0	0	0	0	0	0	0	0	0	1	1	1	1	1	1	1	0	0
Sens_O-Lock of America, L.L.C.		6	7	9	10	10	9	5	5	3	3	0	0	0	0	0	0	0	0	0
Best Labs FR9000		6	7	9	10	10	9	5	5	3	3	0	0	0	0	0	0	0	0	0
Statewide Interlock Systemes, Inc.												0	0	0	0	0	0	0	0	0
Alcohol Detection Systems DM-904												0	0	0	0	0	0	0	0	0
Grand Total	2132	2374	2723	3137	3612	4017	4514	4843	5227	5708	5987	6306	6428	6561	6601	6777	6680	7066	7174	7332